THE JOURNAL OF HEREDITY

An illustrated bimonthly publication devoted to plant genetics, animal genetics, and human heredity

PUBLISHED BY THE
AMERICAN GENETIC ASSOCIATION

VOLUME 68

WASHINGTON, D.C.
1977

Copyright 1977
by the
AMERICAN GENETIC ASSOCIATION

Index to Volume 68

The Journal of Heredity, 1977

Adams, E., et al., The chromosome complement of an *Aotus* hybrid, 409.
Aguado, P., Gametic frequencies with multiple alleles under forward and backward mutation and selection, 341.
Ahmad, Q. N., et al.: Haploid soybeans, a rare occurrence in twin seedlings, 67; Inversion bridges and meiotic behavior in species hybrids of soybeans, 361.
Ainsley, R. W., et al., Translocations in the mosquito, *Culex tritaeniorhynchus*, 157.
Allele frequencies in a cat population in Budapest, B. K. Davis and B. P. Davis, 31.
Allelic expression and genetic distance in hybrid macaque monkeys, J. C. Avise and S. W. Duvall, 23.
Analysis of a double reciprocal chromosome translocation in the German cockroach, M. H. Ross and D. G. Cochran, 231.
Analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, H. S. Dhaliwal, B. K. Gill, and J. G. Waines, 207.
Anderson, W. W., et al., Chromosomal and allozymic diagnosis of three species of *Drosophila*, 71.

Animal Genetics

Aoudad: G-band and transferrin analysis of aoudad-goat hybrids, 210.
Axolotl: lethal mutant gene *ph* in Mexican, 407.
Cats: allele frequencies in Budapest cats, 31; gene frequencies in Tampa, Florida, 59; mutant allele frequencies in Vancouver, British Columbia, 333.
Cattle: new type of Robertsonian translocation, 139; hoof overgrowth in Holstein-Friesians; need for and potential application of germ plasm preservation, 386.
Cockroach: cytology and genetics of stable ring-of-six translocation, 172; double reciprocal chromosome translocation, 231; cytogenetics of reciprocal translocation *T(11;12)*, 379.
Corn earworm: yellow-eye varient, 264.
Diabrotica virgifera: inheritance of diapause intensity, 415.
Dog: coat color genetics in the Labrador retriever, 134.
Drosophila: chromosomal and allozymic diagnosis of *D. pseudoobscura*, *D. persimilis*, and *D. miranda*, 71; cytological differentiation and sexual isolation between *D. nigricruria* populations, 100; comparison of X, B, and E chromosome patterns in *D. athabasca* and five related species, 105; location and regulation of structural gene for fumarase in *D. melanogaster*, 245; new inversion in chromosome 3 of *D. pseudoobscura*, 256; no mutation from chronic exposure to nonthermal FM radio waves, 257; variation of recombination fraction in *D. melanogaster* females, 323.
Fish: lactate dehydrogenase ontogeny in danio species, 81.
Fowl: IgG immunoglobulin deficiency in muscular dystrophic chickens, 55; natural selection for intermediate level of heterozygote activity in Japanese quail, 201; chromosomal abnormalities in chickens selected for high and low body weight, 253.
Goat: G-band and transferrin analysis of aoudad-goat hybrids, 210.
Hamsters: tawny, a sex-linked, incomplete dominant in Syrian, 131; umbrous, a dominant darkening gene in Syrian, 328; pinto, a new coat patterning factor in Syrian, 399; linkage between hydrocephalus and cream coat color in LG II, 418.
Honey bee: test for mutation possibly induced by in vitro storage of sperm, 199.
Horses: confirmation of gene for dominant dilution, 280.
Mice: gnome and other effects of a small translocation, 41; bradypneic, a new mutation causing slow breathing, runting and early death, 150; mutagenicity of dieldrin in the *Salmonella*-microsome test, 184; genetic variation of amylases in deer mice, 313; myelin deficient, a new neurological mutant, 331; inheritance of brain weight in two strains, 337; Myopthies caused by three mutations, 383; meander tail, a recessive mutant in chromosome 4, 403.
Mosquitoes: isozymes of *Culex p. fatigans*, 95; translocations in *Culex tritaeniorhynchus*, 157; two sex-linked mutants in *Culex tarsalis*, 195.
Mussel: inheritance of a shell color polymorphism, 203.
Notophthalmus viridescens: geographic variations in five biochemical polymorphisms, 117.
Oyster: sex determination in American, 114.
Poeciliopsis monacha: allozyme inheritance and pattern of mating in natural populations, 301; Corrigenda, 406.
Primates: allelic expression and genetic distance in hybrid macaques, 23; chromosome complement of an *Aotus* (South American owl monkey) hybrid, 409.
Rabbit: effect of ascorbic acid on intraocular pressure of normal and buphthalmic, 179; strain differences in prealbumin serum esterases of JAK rabbits, 227.
Rana: diploid ova in *R. pipiens*, 307; constitutive heterochromatin in *R. ridibunds*, 343.
Rat: X-monosomy in Indian black, 126; in vitro transcriptional probes of heterotic liver chromatin, 413.
Sheep: tail length of Rambouillet and Mouflon, 128.
Spider mites: interspecific allelism and maternal effect of eye color, 329.
Spruce budworm: electrophoretic variation and sex linkage, 355.

Asman, S. M., Two sex-linked mutations in *Culex tarsalis*, 195.
Aswathanarayana, N. V. and K. L. Satya Prakash, X-monosomy in the Indian black rat, 126.
Austin, D. F., Hybrid populations in *Ipomoea* section *batatas*, 259.
Avise, J. C. and S. W. Duvall, Allelic expression and genetic distance in hybrid macaque monkeys, 23.
Ayala, F. J.: Nothing in biology makes sense except in the light of evolution: Theodosius Dobzhansky, 1900–1975 (Obit.), 3; et al., Chromosomal and allozymic diagnosis of three species of *Drosophila*, 71.

Baker, R. H., et al., Translocations in the mosquito, *Culex tritaeniorhynchus*, 157.
Balyan, H. S. and H. K. Srivastava, Increased chiasma frequency in some hybrids of pearl millet, 338.

Banks, M. S. and P. K. Evans, Cytological markers in different tobacco species and their hybrids: their value for the identification of potential somatic hybrids, 395.
Bedard, M. T., et al., The chromosome complement of an *Aotus* hybrid, 409.
Bell, A. E., Heritability in retrospect, 297.
Bemis, W. P. and N. E. Roe, Corolla color in *Cucurbita*, 193.
Berman, S. D., et al., Sex determination in tetraploid cucumbers: the expression of genes controlling flower bisexuality and flowering pattern in *Cucumis sativus* L., 167.
Bhalla, S. C., et al., Isozymes of *Culex p. fatigans*: I. An esterase locus in linkage group II and its variability in natural populations, 95.
Bhambhani, R., et al., A familial occurrence of *Osteogenesis imperfecta*, 53.
Blumenberg, B.: and M. Spikell, Calculator programs in general genetics: I. Computing genetic distance, 187; et al., Mutant allele frequencies in domestic cats of Vancouver, British Columbia, 333.
Blumenberg, G., et al., Mutant allele frequencies in domestic cats of Vancouver, British Columbia, 333.

Books Reviewed

Dubinin, N. P., General Genetics, 133.
Li, C. C., First Course in Population Genetics, 271.
Li, C. C., Path Analysis—A Primer, 270.
Proceedings of the International Symposium on Genetics and Horse Breeding, 198.

Bortolozzi, J. and E. Gray, Studies of the human sex ratio and factors influencing family size in Botucatu, Brazil, 241.
Bovard, K. P., Robert C. Carter: 1909–1976 (Obit.), 132.
Bradypneic, a new mutation in mice causing slow breathing, runting, and early death, M. C. Green and C. L. Jahn, 150.
Branson, T. F. and J. L. Kryson, Inheritance of diapause intensity in *Diabrotica virgifera*, 415.
Bremner, T. A., et al., Location and regulation of *Drosophila* fumarase, 245.
Britten, E. J., et al.: Haploid soybeans, a rare occurrence in twin seedlings, 67; Inversion bridges and meiotic behavior in species hybrids of soybeans, 361.
Broadhead, R. S., et al., Variation of the recombination fraction in *Drosophila melanogaster* females, 323.
Bunch, T. D., et al., G-band and transferrin analysis of aoudad-goat hybrids, 210.
Buss, G. R., Inheritance of a yellow-green plant color mutant in alfalfa, 191.
Butcher, D., et al., In vitro transcriptional probes of heterotic rat liver chromatin, 413.
Byth, D. E., et al.: Haploid soybeans, a rare occurrence in twin seedlings, 67; Inversion bridges and meiotic behavior in species hybrids of soybeans, 361.

Calculator programs in general genetics: I. computing genetic distance, M. Spikell and B. Blumenberg, 187.
Carter, Robert C.: 1909–1976 (Obit.), K. P. Bovard, 132.
Casady, A. J. and G. H. Liang, Inheritance of weak midrib of sorghum, 326.
Chakrabartty, P. K., et al., Location and regulation of *Drosophila* fumarase, 245.
Characterization of human heteroploid cell line J-111: reverse banding patterns of marker chromosomes, R. S. Verma, H. Dosik, and K. S. Lavappa, 287.
Chaudhari, H. K. and W. H. Davis, A new male-sterile strain in Wabash soybeans, 266.
Christiansen, M. N., et al., The identification of a new mutant and linkage group in cotton, 65.
Chromosomal abnormalities in chickens selected for high and low body weight, P. R. K. Reddy and P. B. Siegel, 253.
Chromosomal and allozymic diagnosis of three species of *Drosophila*, W. W. Anderson, F. J. Ayala, and R. E. Michod, 71.
Chromosome complement of an *Aotus* hybrid, N. S. F. Ma, T. C. Jones, M. T. Bedard, A. Miller, L. Morgan, and E. Adams.
Circular countercurrent-distribution behavioral genetic maze, M. Kordek, J. R. Jungck, F. J. McKosky, M. Norton, and J. Roche, 123.
Coat color genetics in the Labrador retriever, J. W. Templeton, A. P. Stewart, and W. S. Fletcher, 134.
Cochran, D. G. and M. H. Ross: Cytology and genetics of a stable ring-of-six translocation in the German cockroach, 172; Analysis of a double reciprocal chromosome translocation in the German cockroach, 231; Cytogenetics of *T(11;12)*, a reciprocal translocation in the German cockroach, 379.
Coco, J. F., et al., Effect of ascorbic acid on intraocular pressure of normal and buphthalmic rabbits, 179.
Cohen, Barry Mendel, The demise of Lysenko, 57.
Comparison of in vitro and in vino tissue culture systems in scented geranium, J. Janick, R. M. Skirvin, and R. B. Janders, 62.
Confirmation of a gene for dominant dilution of horse colors, L. D. Van Vleck and M. Davitt, 280.
Connelly, M. E. and W. Nixon, Pinto: a new coat patterning factor in Syrian hamsters, 399.
Constitutive heterochromatin in *Rana ridibunda*, P. Raicu and C. Georműneanu, 343.
Corolla color in *Cucurbita*, N. E. Roe and W. P. Bemis, 193.
Corrigendum: Horse, ass, and mule chromosomes, 58.
Coyne, D. P. and J. R. Steadman, Inheritance and association of some traits in a *Phaseolus vulgaris* L. cross, 60.
Cummings, D. K., et al., A 5/× chromosomal translocation in a patient with premature menopause, 75.
Cytogenetic location of genes for resistance to wheat streak mosiac in an *Agropyron* substitution line, R. C. Wang and G. H. Liang, 375.
Cytogenetics of *T(11;12)*, a reciprocal translocation in the German cockroach, D. G. Cochran and M. H. Ross, 379.
Cytological differentiation and sexual isolation between populations of *Drosophila nigricruria*, M. Wasserman and H. R. Koepfer, 100.
Cytological markers in different tobacco species and their hybrids: their value for the identification of potential somatic hybrids, M. S. Banks and P. K. Evans, 395.
Cytology and genetics of a stable ring-of-six translocation in the German cockroach, D. G. Cochran and M. H. Ross, 172.
Cytoplasmic male-sterile flax with open corollas, T. E. Thompson, 185.
Cytoplasmic male sterility in petunia: II. The interaction between the plasmagene, genetic factors, and temperature, S. Izhar, 238.

Daniel, W. L. and T. N. Seyfried, Inheritance of brain weight in two strains of mice, 337.
Davis, B. K. and B. P. Davis. Allele frequencies in a cat population in Budapest, 31.
Davis, B. P. and B. K. Davis. Allele frequencies in a cat population in Budapest, 31.
Davis, W. H. and H. K. Chaudhari, A new male-sterile strain in Wabash soybeans, 266.
Davitt, M. and L. D. Van Vleck, Confirmation of a gene for dominant dilution of horse colors, 280.
Dawson, W. D., et al., Genetic variation of amylases in deer mice, 313.
Demise of Lysenko, Barry Mendel Cohen, 57.
Demonstration of color and size polymorphisms in human acrocentric chromosomes by acridine orange reverse banding, R. S. Verma, H. Dosik, and H. A. Lubs, Jr., 262

Dermen, Haig.: 1895–1977, (Obit.), R. N. Stewart, 408.
Dhaliwal, H. S., et al., Analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, 207.
Diedenhofen, U., et al., The early allele of alcohol dehydrogenase in sunflower populations, 11.
Diversity of mitochondrial genomes among normal cytoplasms of maize, C. S. Levings, III, and D. R. Pring, 350.
Dobzhansky, Theodosius, (Obit.), F. J. Ayala, 3.
Doolittle, D. P. and K. M. Schweikart, Myelin deficient, a new neurological mutant in the mouse, 331.
Dosik, H., et al.: Demonstration of color and size polymorphisms in human acrocentric chromosomes by acridine orange reverse banding, 262; Characterization of human heteroploid cell line J-111: reverse banding patterns of marker chromosomes, 287.
Drosophila pseudoobscura of the Great Basin: I. A new inversion in chromosome 3, M. E. Turner and D. E. Jeffery, 256.
Duvall, S. W. and J. C. Avise, Allelic expression and genetic distance in hybrid macaque monkeys, 23.

Early allele of alcohol dehydrogenase in sunflower populations, A. M. Torres, U. Diedenhofen, and I. M. Johnstone, 11.
Effect of ascorbic acid on intraocular pressure of normal and buphthalmic rabbits, R. R. Fox, K. -W. Lam, and J. F. Coco, 179.
Effect of seedcoat color on protein and oil content of soybeans, V. D. Luedders, 321.
Effect of temperature on an unstable gene in soybeans: mutant effects at the $Y_{18}{}^{m}$ locus at two temperature levels, M. A. Sheridan and R. G. Palmer, 17.
Electrophoretic variation and sex linkage in spruce budworm, B. May, D. E. Leonard, and R. L. Vadas, 355.
Evans, M. G., et al., Genetic variation of amylases in deer mice, 313.
Evans, P. K. and M. S. Banks, Cytological markers in different tobacco species and their hybrids: their value for the identification of potential somatic hybrids, 395.

Failure of chronic exposure to nonthermal FM radio waves to mutate *Drosophila*, S. Mittler, 257.
Familial occurrence of *Osteogenesis imperfecta*, R. Bhambhani, J. Kuspira, S. M. Singh, N. Muntjewerff, and R. Neifer, 53.
Feldman, M., et al., Sex determination in tetraploid cucumbers: the expression of genes controlling flower bisexuality and flowering pattern in *Cucumis sativus* L., 167.
Fertility of amphihaploids in Tricinae, S. S. Mann and T. Sasakuma, 87.
5/× chromosomal translocation in a patient with premature menopause, J. E. Garcia, D. K. Cummings, A. C. Wentz, H. W. Jones, Jr., and J. M. Rary, 75.
Fletcher, W. S., et al., Coat color genetics in the Labrador retriever, 134.
Foote, W. C., et al., G-band and transferrin analysis of aoudad-goat hybrids, 210.
Fox, R. R.: and L. F. M. Zutphen, Strain differences in the prealbumin serum esterases of JAK rabbits, 227; et al., Effect of ascorbic acid on intraocular pressure of normal and buphthalmic rabbits, 179.
Frankel, J. S. and N. H. Hart, Lactate dehydrogenase ontogeny in the genus *Brachydanio* (Cyprinidae), 81.
Fundamentals of path analysis (Rev.), O. Kempthorne, 270.
Fundamentals of population genetics (Rev.), C. Johnson, 271.

Gallun, R. L. and F. L. Patterson: Monosomic analysis of wheat for resistance to Hessian fly, 223; Linkage in wheat of the H_3 and H_6 genetic factors for resistance to Hessian fly, 293.
Galun, E., et al., Sex determination in tetraploid cucumbers: the expression of genes controlling flower bisexuality and flowering pattern in *Cucumis sativus* L., 167.
Gametic frequencies with multiple alleles under forward and backward mutation and selection, P. Aguado, 341.
Garcia, J. E., et al., A 5/× chromosomal translocation in a patient with premature menopause, 75.
G-band and transferrin analysis of aoudad-goat hybrids, T. D. Bunch, A. Rogers, and W. C. Foote, 210.
Gene frequencies in the cat deme of Tampa, Florida, Stephen E. Monaloy, 59.

General Genetics

Assortive mating: an exact solution for a model of Naylor, 332.
Calculator program: computing genetic distance, 187.
Demise of Lysenko, 57.
Demonstration devise: circular countercurrent-distribution behavioral genetic maze, 123.
Gametic frequencies with multiple alleles forward and backward mutation and selection, 341.
Heritability: origin and definition, 297.

Genetic analysis of natural populations of *Poeciliopsis monacha*: Allozyme inheritance and pattern of mating, J. F. Leslie and R. C. Vrijenhoek, 301; Corrigenda, 406.
Genetics and horse breeding (Rev.), W. R. Singleton, 198.
Genetic variation of amylases in deer mice, M. G. Evans, L. L. Huang, and W. D. Dawson, 313.
Geographic variation of five biochemical polymorphisms in *Notophthalmus viridescens*, W. J. Tabachnick, 117.
Georgmăneanu, C. and P. Raicu, Constitutive heterochromatin in *Rana ridibunda*, 343.
Gill, B. S., et al., Analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, 207.
Glicken, A. and J. W. Kendrick, Hoof overgrowth in Holstein-Friesian cattle, 386.
Gnome and other effects of a small translocation in the mouse, W. F. Hollander and K. S. Waggie, 41.
Gray, E. and J. Bortolozzi, Studies of the human sex ratio and factors influencing family size in Botucatu, Brazil, 241.
Green, M. C. and C. L. Jahn, Bradypneic, A new mutation in mice causing slow breathing, runting, and early death, 150.

Haley, L. E.: Sex determination in the American oyster, 114; and D. J. Innes, Inheritance of a shell color polymorphism in the mussel, 203.
Haploid soybeans, a rare occurrence in twin seedlings, Q. N. Ahmad, E. J. Britten, and D. E. Byth, 67.
Hart, N. H. and J. S. Frankel, Lactate dehydrogenase ontogeny in the genus *Brachydanio* (Cyprinidae), 81.
Heritability in retrospect, A. E. Bell, 297.
Hollander, W. F. and K. S. Waggie: Gnome and other effects of a small translocation in the mouse, 41; Meander tail: a recessive mutant located in chromosome 4 of the mouse, 403.
Hoof overgrowth in Holstein-Friesian cattle, A. Glicken and J. W. Kendrick, 386.
Hopkins, W. G. and D. B. Walden, Temperature sensitivity of virescent mutants of maize, 283.
Howard-Peebles, P. N., Indications for a chromosome analysis illustrated by a case of ring 22, 268.
Huang, L. L., et al., Genetic variation of amylases in deer mice, 313.

Human Genetics

Chromosomes: 5/× translocation associated with premature menopause, 75; demonstration of color and size polymorphisms in acrocentric chromosomes by acridine orange reverse banding, 262; analysis illustrated by case of ring 22, 268; reverse banding patterns of heteroploid cell line J-111, 287.

Osteogenesis imperfecta: a family study, 53.
Perspectives on today's genetics and tomorrow's progeny, 274.
Sex ratio: factors influencing family size in Botucatu, Brazil, 241; male preference and family size, 260.

Humphrey, R. R., A lethal mutant gene (*ph*) in the Mexican axolotl, 407.
Hybrid populations in *Ipomoea* section *batatas*, D. F. Austin, 259.

Identification of a new mutant and linkage group in cotton, R. J. Kohel, C. F. Lewis, and M. N. Christiansen, 65.
Identification of poinsettia cultivars by electrophoretic analysis of proteins and peroxidases, D. J. Werner and K. C. Sink, Jr., 35.
IgG immunoglobulin deficiency in muscular dystrophic chickens, B. G. Sanders and K. Kline, 55.
Increased chiasma frequency in some hybrids of pearl millet, H. K. Srivastava and H. S. Balyan, 338.
Indications for a chromosome analysis illustrated by a case of ring 22, P. N. Howard-Peebles, 268.
Inheritance and association of some traits in a *Phaseolus vulgaris* L. cross, D. P. Coyne and J. R. Steadman, 60.
Inheritance and population genetics of four marker traits in rose clover, S. K. Jain, 48.
Inheritance of a shell color polymorphism in the mussel, D. J. Innes and L. E. Haley, 203.
Inheritance of a yellow-green plant color mutant in alfalfa, G. R. Buss, 191.
Inheritance of brain weight in two strains of mice, T. N. Seyfried and W. L. Daniel, 337.
Inheritance of diapause intensity in *Diabrotica virgifera*, J. L. Krysan and T. F. Branson, 415.
Inheritance of resistance to watermelon mosiac visus 1 in *Cucumis metuliferus*, R. Provvidenti and R. W. Robinson, 56.
Inheritance of weak midrib of sorghum, A. J. Casady and G. H. Liang, 326.
Innes, D. J. and L. E. Haley, Inheritance of a shell color polymorphism in the mussel, 203.
Interspecific allelism and maternal effect of eye color in spider mites, D. L. Wrensch and M. P. Murtaugh, 329.
Inversion bridges and meiotic behavior in species hybrids of soybeans, Q. N. Ahmad, E. J. Britten, and D. E. Byth, 361.
In vitro transcriptional probes of heterotic rat liver chromatin, G. Tallman, D. Butcher, W. Kaczmarczyk, and V. Ulrich, 413.
Isozymes of *Culex p. fatigans*: I. An esterase locus in linkage group II and its variability in natural populations, S. Narang, S. C. Bhalla, and N.Narang, 95.
Izhar, S.: Cytoplasmic male sterility in petunia: II. The interaction between the plasmagene, genetic factors, and temperature, 238.

Jahn, C. L. and M. C. Green, Bradypneic, a new mutation in mice causing slow breathing, runting, and early death, 150.
Jain, S. K.: Inheritance and population genetics of four marker traits in rose clover, 48.
Janders, R. B., et al., Comparison of in vitro and in vino tissue culture systems in scented geranium, 62.
Janick, J., et al., Comparison of in vitro and in vino tissue culture systems in scented geranium, 62.
Jeffrey, D. E. and M. E. Turner, *Drosophila pseudoobscura* of the Great Basin: I. A new inversion in chromosome 3, 256.
Johnson, C., Fundamentals of population genetics (Rev.), 271.
Johnstone, I. M., et al., The early allele of alcohol dehydrogenase in sunflower populations, 11.
Jones, H. W., Jr., et al., A 5/× chromosomal translocation in a patient with premature menopause, 75.
Jones, R. L., et al., Yellow-eye varient of the corn earworm, 264.
Jones, T. C., et al., The chromosome complement of an *Aotus* hybrid, 409.
Jungck, J. R., et al., Circular countercurrent-distribution behavioral genetic maze, 123.

Kaczmarczyk, W., et al., In vitro transcriptional probes of heterotic rat liver chromatin, 413.
Kaminski, M. and G. Lucotte, Natural selection for an intermediate level of heterozygote activity in Japanese quail, 201.
Kempthorne, O., Fundamentals of path analysis (Rev.), 270.
Kendrick, J. W. and A. Glicken, Hoof overgrowth in Holstein-Friesian cattle, 386.
Key lecture: M. W. Shaw, Perspectives on today's genetics and tomorrow's progeny, 274.
Kidwell, J. F., et al., Variation of the recombination fraction in *Drosophila melanogaster* females, 323.
Kidwell, M. G., et al., Variation of the recombination fraction in *Drosophila melanogaster* females, 323.
Kirtland-Coffey, A., et al., Tawny: a sex-linked incompletely dominant trait in Syrian hamsters, 131.
Kline, K. and B. Sanders, IgG immunoglobulin deficiency in muscular dystrophic chickens, 55.
Kohel, R. J., et al., The identification of a new mutant and linkage group in cotton, 65.
Kordek, M., Circular countercurrent-distribution behavioral genetic maze, 123.
Kosin, I. L., Rehabilitated socialist biology (Rev.), 133.
Krysan, J. L. and T. F. Branson, Inheritance of diapause intensity in *Diabrotica virgifera*, 415.
Kuspira, J., et al., A familial occurrence of *Osteogenesis imperfecta*, 53.

Lactate dehydrogenase ontogeny in the genus *Brachydanio* (Cyprinidae), J. S. Frankel, and N. H. Hart, 81.
Laidlaw, H. H., et al., Test for mutation possibly induced by in vitro storage of honey bee sperm, 199.
Lam, K.-W., et al., Effect of ascorbic acid on intraocular pressure of normal and buphthalmic rabbits, 179.
Lavappa, K. S., et al., Characterization of human heteroploid cell line J-111: reverse banding patterns of marker chromosomes, 287.
Lee, S.-L. J. and H. E. Warmke, Mitochondrial degeneration in Texas cytoplasmic male-sterile corn anthers, 213.
Leonard, D. E., et al., Electrophoretic variation and sex linkage in spruce budworm, 355.
Leslie, J. F. and R. C. Vrijenhoek, Genetic analysis of natural populations of *Poeciliopsis monacha*: allozyme inheritance and pattern of mating, 301; Corrigenda, 406.
Lethal mutant gene (*ph*) in the Mexican axolotl, R. R. Humphrey, 407.
Levings, C. S., III and D. R. Pringle, Diversity of mitochondrial genomes among normal cytoplasms of maize, 350.
Lewis, C. F., et al., The identification of a new mutant and linkage group in cotton, 65.
Liang, G. H. and A. J. Casady, Inheritance of weak midrib of sorghum, 326.
Liang, G. H. and R. C. Wang, Cytogenetic location of genes for resistance to wheat streak mosaic in an *Agropyron* substitution line, 375.
Lin, B.-Y., Ploidy variation in maize endosperm, 143.
Linkage group II in the Syrian hamster: linkage between hydrocephalus and cream coat color, C. H. Yoon and J. S. Peterson, 418.
Linkage in wheat of the H_3 and H_6 genetic factors for resistance to Hessian fly, F. L. Patterson and R. L. Gallun, 293.
Linkage relationships of four seedling mutants in turnip rape, G. R. Stringam, 391.

Location and regulation of *Drosophila* fumarase, S. B. Pipkin, P. K. Chakrabartty, and T. A. Bremner, 245.
Lowry, R. B., et al., Mutant allele frequencies in domestic cats of Vancouver, British Columbia, 333.
Lubs, H. A., Jr., et al., Demonstration of color and size polymorphisms in human acrocentric chromosomes by acridine orange reverse banding, 262.
Lucotte, G. and M. Kaminski, Natural selection for an intermediate level of heterozygote activity in Japanese quail, 201.
Luedders, V. D., Effect of seedcoat color on protein and oil content of soybeans, 321.

Ma, N. S. F., et al., The chromosome complement of an *Aotus* hybrid, 409.
MacPike, A. D. and H. Meier, Myopthies caused by three mutations of the mouse, 383.
Male preference and family size, J. R. Medina, 260.
Maharam, L. G., et al., Mutagenicity of dieldrin in the *Salmonella*-microsome test, 184.
Majumdar, S. K., et al., Mutagenicity of dieldrin in the *Salmonella*-microsome test, 184.
Mann, S. S. and T. Sasakuma, Fertility of amphihaploids in Tricinae, 87.
May, B., et al., Electrophoretic variation and sex linkage in spruce budworm, 355.
McKosky, F. J., et al., Circular countercurrent-distribution behavioral genetic maze, 123.
Meander tail: a recessive mutant located in chromosome 4 of the mouse, W. F. Hollander, and K. S. Waggie, 403.
Medina, J. R., Male preference and family size, 260.
Meier, H. and A. D. MacPike, Myophies caused by three mutations of the mouse, 383.
Michod, R. E., et al., Chromosomal and allozymic diagnosis of three species of *Drosophila*, 71.
Miller, A., et al., The chromosome complement of an *Aotus* hybrid, 409.
Miller, D. D., Salivary gland chromosome variation in the *Drosophila affinis* subgroup: VI. comparison of X, B, and E chromosome patterns in *D. athabasca* and five related species, 105.
Miller, R. H., The need for and potential application of germ plasm preservation in cattle, 365.
Mitochondrial degeneration in Texas cytoplasmic male-sterile corn anthers, H. E. Warmke and S.-L. J. Lee, 213.
Mittler, S. Failure of chronic exposure to nonthermal FM radio waves to mutate *Drosophila*, 257.
Monaloy, Stephen E., Gene frequencies of the cat deme of Tampa, Florida, 59.
Monosomic analysis of wheat for resistance to Hessian fly, R. L. Gallun and F. L. Patterson, 223.
Morgan, L., et al., The chromosome complement of an *Aotus* hybrid, 409.
Muntjewerff, N., et al., A familial occurrence of *Osteogenesis imperfecta*, 53.
Murtaugh, M. P. and D. L. Wrensch, Interspecific allelism and maternal effect of eye color in spider mites, 329.
Mutagenicity of dieldrin in the *Salmonella*-microsome test, S. K. Majumdar, L. G. Maharam, and G. A. Viglianti, 184.
Mutant allele frequencies in domestic cats of Vancouver, British Columbia, B. Blumenberg, R. B. Lowry, and G. Blumenberg, 333.
Myelin deficient, a new neurological mutant in the mouse, D. P. Doolittle and K. M. Schweikart, 331.
Myopthies caused by three mutations of the mouse, H. Meier and A. D. MacPike, 383.

Nace, G. W. and C. M. Richards, The occurrence of diploid ova in *Rana pipiens*, 307.
Narang, N., et al., Isozymes of *Culex p. fatigans*: I. an esterase locus in linkage group II and its variability in natural populations, 95.
Narang, S., et al., Isozymes of *Culex p. fatigans*: I. an esterase locus in linkage group II and its variability in natural populations, 95.
Natural selection for an intermediate level of heterozygote activity in Japanese quail, G. Lucotte and M. Kaminski, 201.
Need for and potential application of germ plasm preservation in cattle, R. H. Miller, 365.
Neifer, R., et al., A familial occurrence of *Osteogenesis imperfecta*, 53.
New male-sterile strain in Wabash soybeans, H. K. Chaudhari and W. H. Davis, 266.
New type of Robertsonian translocation in cattle, C. P. Popescu, 139.
Nixon, W. and M. E. Connelly, Pinto: a new coat patterning factor in Syrian hamsters, 399.
Norton, M., et al., Circular countercurrent-distribution behavioral genetic maze, 123.
Nothing in biology makes sense except in the light of evolution: Theodosius Dobzhansky, 1900–1975, (Obit.), F. J. Ayala, 3.

Occurrence of diploid ova in *Rana pipiens*, C. M. Richards and G. W. Nace, 307.
Otto, P. A., Studies on assortive mating: an exact solution for a model of Naylor, 332.

Palmer, R. G. and M. A. Sheridan, The effect of temperature on an unstable gene in soybeans: mutant effects at the Y_{18} locus at two temperature levels, 17.
Patterson, F. L. and R. L. Gallun: Monosomic analysis of wheat for resistance to Hessian fly, 223; Linkage in wheat of the H_3 and H_6 genetic factors for resistance to Hessian fly, 293.
Perkins, D., et al., Yellow-eye variant of the corn earworm, 264.
Perspectives on today's genetics and tomorrow's progeny, M. W. Shaw, 274.
Peterson, J. S. and C. H. Yoon, Linkage group II in the Syrian hamster: linkage between hydrocephalus and cream coat color, 418.
Peterson, J. S., et al., Tawny: a sex-linked incompletely dominant trait in Syrian hamsters, 131.
Pinto: a new coat pattern factor in Syrian hamsters, W. Nixon and M. E. Connelly, 399.
Pipkin, S. B., et al., Location and regulation of *Drosophila* fumarase, 245.

Plant Genetics

Agropyron: cytogenetic location of genes for resistance to wheat streak mosiac in a substitution line, 375.
Chrysanthemum: successful ovary culture and production of F_1 hybrids and androgenic haploids, 317.
Clover: inheritance and population genetics of four marker traits in rose, 48.
Cotton: identification of new mutant and linkage group, 65.
Cucumis: inheritance of resistance to watermelon mosiac virus 1 in *C. metuliferus*, 56; expression of genes controlling flower bisexuality and flowering pattern in *C. sativus*, 167.
Cucurbita: corolla color, 193.
Flax: cytoplasmic male sterile with open corollas, 185.
Geranium; comparison of in vitro and in vino tissue culture systems, 62.
Ipomoea: hybrid populations in section *batatas*, 259.
Maize: ploidy variation in endosperm, 143; mitochondrial degeneration in T cytoplasmic male-sterile anthers, 213; temperature sensitivity of virescent mutants, 283; diversity of mitochondrial genomes among normal cytoplasms, 350.

Millet: increased chiasma frequency in hybrids, 338.
Petunia: interaction between the plasmagene, genetic factors, and temperature as related to male sterility, 238.
Phaseolus vulgaris: inheritance and association of some traits in a cross, 60.
Poinsettia: identification of cultivars by electrophoretic analysis of proteins and peroxidases, 35.
Rye: analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, 207.
Sorghum: inheritance of weak midrib, 326.
Soybeans: mutant effects of unstable gene $Y_{18}{}^{m}$ at two temperature levels, 17; haploid twin seedlings—a rare occurrence, 67; new male-sterile strain in Wasbash, 266; effect of seedcoat color on protein and oil content, 321; inversion bridges and meiotic behavior in species hybrids, 361.
Sunflower: early allele of ADH, 11.
Tobacco: cytological markers in different species and their hybrids used to identify potential somatic hybrids, 395.
Tricinae: fertility of amphihaploids, 87.
Turnip rape: linkage relationships of four seedling mutants, 361.
Wheat: analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, 207; monosomic analysis of resistance to Hessian fly, 223; linkage of H_3 and H_6 for resistance to Hessian fly, 293.

Ploidy variation maize endosperm, B.-Y. Lin, 143.
Poole, J. K., et al., Test for mutation possibly induced by in vitro storage of honey bee sperm, 199.
Popescu, C. P., A new type of Robertsonian translocation in cattle, 139.
Pringle, D. R. and C. S. Levings, III, Diversity of mitochondrial genomes among normal cytoplasms of maize, 350.
Provvidenti, R. and R. W. Robinson, Inheritance of resistance to watermelon mosiac virus 1 in *Cucumis metuliferus*, 56.

Raicu, P. and C. Georgmăneanu, Constitutive heterochromatin in *Rana ridibunda*, 343.
Rary, J. M., et al., A 5/× chromosomal translocation in a patient with premature menopause, 75.
Reddy, P. R. K. and P. B. Siegel, Chromosomal abnormalities in chickens selected for high and low body weight, 253.
Rehabilitated socialist biology (Rev.), I. L. Kosin, 133.
Richards, C. M. and G. W. Nace, The occurrence of diploid ova in *Rana pipiens*, 307.
Robinson, R., Umbrous: a dominant darkening gene in the Syrian hamster, 328.
Robinson, R. W. and R. Provvidenti, Inheritance of resistance to watermelon mosiac virus 1 in *Cucumis metuliferus*, 56.
Roche, J., et al., Circular countercurrent-distribution behavioral genetic maze, 123.
Roe, N. E. and W. P. Bemis, Corolla color in *Cucurbita*, 193.
Rogers, A., et al., G-band and transferrin analysis of aoudad-goat hybrids, 210.
Ross, M. H. and D. G. Cochran: Cytology and genetics of a stable ring-of-six translocation in the German cockroach, 172; Analysis of a double reciprocal chromosome translocation in the German cockroach, 231; Cytogenetics of *T(11;12)*, a reciprocal translocation in the German cockroach, 379.

Saifuddin, U. T., et al., Translocations in the mosquito, *Culex tritaeniorhynchus*, 157.
Sakai, R. K., et al., Translocations in the mosquito, *Culex tritaeniorhynchus*, 157.
Salivary gland chromosome variation in the *Drosophila affinis* subgroup: VI. comparison of X, B, and E chromosome patterns in *D. athabasca* and five related species, D. D. Miller, 105.
Sanders, B. and K. Kline, IgG immunoglobulin deficiency in muscular dystrophic chickens, 55.
Sasakuma, T. and S. S. Mann, Fertility of amphihaploids in Tricinae, 87.
Satya Prakash, K. L. and N. V. Aswathanarayana, X-monosomy in the Indian black rat, 126.
Schweikart, K. M. and D. P. Doolittle, Myelin deficient, a new neurological mutant in the mouse, 331.
Sex determination in tetraploid cucumbers: the expression of genes controlling flower bisexuality and flowering pattern in *Cucumis sativus* L., S. D. Berman, M. Feldman, and E. Galun, 167.
Sex determination in the American oyster, L. E. Haley, 114.
Seyfried, T. N. and W. L. Daniel, Inheritance of brain weight in two strains of mice, 337.
Shaw, M. W., Perspectives on today's genetics and tomorrow's progeny, 274.
Shelton, M., Studies on tail length of Rambouillet and Mouflon sheep, 128.
Sheridan, M. A. and R. G. Palmer, The effect of temperature on an unstable gene in soybeans: mutant effects at the $Y_{18}{}^{m}$ locus at two temperature levels, 17.
Siegel, P. B. and P. K. R. Reddy, Chromosomal abnormalities in chickens selected for high and low body weight, 253.
Singh, S. M., et al., A familial occurrence of *Osteogenesis imperfecta*, 53.
Singleton, W. R., Genetics and horse breeding (Rev.), 198.
Sink, K. C., Jr. and D. J. Werner, Identification of poinsettia cultivars by electrophoretic analysis of proteins and peroxidases, 35.
Skirvin, R. M., et al., Comparison of in vitro and in vino tissue culture systems in scented geranium, 62.
Spikell, M. and B. Blumenberg, Calculator programs in general genetics: I. computing genetic distance, 187.
Srivastava, H. K. and H. S. Balyan, Increased chiasma frequency in some hybrids of pearl millet, 338.
Steadman, J. R. and D. P. Coyne, Inheritance and association of some traits in a *Phaseolus vulgaris* L. cross, 60.
Stewart, A. P., et al., Coat color genetics in the Labrador retriever, 134.
Stewart, R. N., Haig Dermen: 1895–1977 (Obit.), 408.
Stringam, G. R., Linkage relationships of four seedling mutants in turnip rape, 391.
Strain differences in the prealbumin serum esterases of JAK rabbits, R. R. Fox and L. F. M. Zutphen, 227.
Studies of the human sex ratio and factors influencing family size in Botucatu, Brazil, E. Gray and J. Bortolozzi, 241.
Studies on assortive mating: an exact solution for a model of Naylor, P. A. Otto, 332.
Studies on tail length of Rambouillet and Mouflon sheep, M. Shelton, 128.
Successful ovary culture and production of F_1 hybrids and androgenic haploids in Japanese *Chrysanthemum* species, K. Watanabe, 317.

Tabachnick, W. J., Geographic variation of five biochemical polymorphisms in *Notophthalmus viridescens*, 117.
Taber, S., III, et al., Test for mutation possibly induced by in vitro storage of honey bee sperm, 199.
Tallman, G., et al., In vitro transcriptional probes of heterotic rat liver chromatin, 413.
Tawny: a sex-linked, incompletely dominant trait in Syrian hamsters, J. S. Peterson, A. Kirtland-Coffey, and C. H. Yoon, 131.
Temperature sensitivity of virescent mutants of maize, W. G. Hopkins and D. B. Walden, 283.
Templeton, J. W., et al., Coat color genetics in the Labrador retriever, 134.

Test for mutation possibly induced by in vitro storage of honey bee sperm, H. H. Laidlaw, J. K. Poole, and S. Taber, III, 199.
Thompson, T. E., Cytoplasmic male-sterile flax with open corollas, 185.
Torres, A. M., et al., The early allele of alcohol dehydrogenase in sunflower populations, 11.
Translocations in the mosquito, *Culex tritaeniorhynchus*, R. H. Baker, R. K. Sakai, U. T. Saifuddin, and R. W. Ainsley, 157.
Turner, M. E. and D. E. Jeffery, *Drosophila pseudoobscura* of the Great Basin: I. A new inversion in chromosome 3, 256.
Two sex-linked mutations in *Culex tarsalis*, S. Monica Asman, 195.

Ulrich, V., et al., In vitro transcriptional probes of heterotic rat liver chromatin, 413.
Umbrous: a dominant darkening gene in the Syrian hamster, R. Robinson, 328.

Vadas, R. L., et al., Electrophoretic variation and sex linkage in spruce budworm, 355.
Van Vleck, L. D. and M. Davitt, Confirmation of a gene for dominant dilution of horse colors, 280.
Variation of the recombination fraction in *Drosophila melanogaster* females, R. S. Broadhead, J. F. Kidwell, and M. G. Kidwell, 323.
Verma, R. S., et al.: Demonstration of color and size polymorphisms in human acrocentric chromosomes by acridine orange reverse banding, 262; Characterization of human heteroploid cell line J-111: reverse banding patterns of marker chromosomes, 287.
Viglianti, G. A., et al., Mutagenicity of dieldrin in the *Salmonella*-microsome test, 184.
Vrijenhoek, R. C. and J. F. Leslie, Genetic analysis of natural populations of *Poeciliopsis monacha*: allozyme inheritance and pattern of mating, 301; Corrigenda, 406.

Waggie, K. S. and W. F. Hollander: Gnome and other effects of a small translocation in the mouse, 41; Meander tail: a recessive mutant located in chromosome 4 of the mouse, 403.
Waines, J. G., et al., Analysis of induced homoeologous pairing in a *ph* mutant wheat × rye hybrid, 207.
Walden, D. B. and W. G. Hopkins, Temperature sensitivity of virescent mutants of maize, 283.
Wang, R. C. and G. H. Liang, Cytogenetic location of genes for resistance to wheat streak mosaic in an *Agropyron* substitution line, 375.
Warmke, H. E. and S.-L. J. Lee, Mitochondrial degeneration in Texas cytoplasmic male-steril corn anthers, 213.
Wasserman, M. and H. R. Koepfer, Cytological differentiation and sexual isolation between populations of *Drosophila nigricruria*, 100.
Watanabe, K., Successful ovary culture and production of F_1 hybrids and androgenic haploids in Japanese *Chrysanthemum* species, 317.
Wentz, A. C., et al., A 5/× chromosomal translocation in a patient with premature menopause, 75.
Werner, D. J. and K. C. Sink, Jr., Identification of poinsettia cultivars by electrophoretic analysis of proteins and peroxidases, 35.
Widstrom, N. W., et al., Yellow-eye Variant of the corn earworm, 264.
Wrensch, D. L. and M. P. Murtaugh, Interspecific allelism and maternal effect of eye color in spider mites, 329.

X-monosomy in the Indian black rat, K. L. Satya Prakash and N. V. Aswathanarayana, 126.

Yellow-eye varient of the corn earworm, R. L. Jones, N. W. Widstrom, and D. Perkins, 264.
Yoon, C. H., et al., Tawny: a sex-linked incompletely dominant trait in Syrian hamsters, 131.
Yoon, C. H. and J. S. Peterson, Linkage group II in the Syrian hamster: linkage between hydrocephalus and cream coat color, 418.

Zutphen, L. F. M. and R. R. Fox, Strain differences in the prealbumin-serum esterases of JAK rabbits, 227.